

SUNNY 100 GLOBAL INDUSTRY LIMITED 104# biulding No.1, Wanshijia center, Shuyuan South Road, Tianxin District, Changsha City, Hunan Province, China

MATERIAL SAFETY DATA SHEET

Section 1 Product Information Rev. Level: B

Trade Name and Synonyms: Ferro Silicon Nitride Chemical Family: Metal Nitride Formula: Si3N4, Fe etc CAS No.: Si3N4 (12033-89-5) Fe(7439-89-6)

Section 2 Product Description and Hazardous Ingredients/Identify Information

Material or Component Percent By OSHA PEL ACGIH TLV Weight (Mg/cubicmetre) Silicon Max .58 5.0 respirable dust (see appendix D, VOSHA 29 CFR 1910) Nitrogen (N) Max 33 Ferrum(Fe) 12-16%

Section 3 Physical Data

Melting Point: Not applicable	Boiling Point: Not applicable
Specific Gravity (H2O = 1): 3.2	Vapor Pressure: Not applicable
% Volatile by Volume: Not applicable	Vapor Density (Air=1): Not applicable
Evaporation Rate: Not applicable	Solubility in Water: Insoluble
Molecular Weight: 140	Appearance and Odor: White-Grey powder, odorless

Section 4 Fire and Explosion Hazard Data

Flash Point F (C): Not applicableFlammable Limits: Not applicableExtinguishing Media: Not applicableUnusual Fire and Explosion Hazards: Not applicableSpecial Fire Fighting Procedures: Not applicable

Section 5 Health Hazard Data

Usual Route(s) of Entry: Inhalation, ingestion, eye contact, skin contact

Effects of Overexposure: Dust inhalation may cause mild irritation of the nose and throat. Skin and eye contact may cause irritation due to abrasive action of the dust. Current scientific evidence indicated no adverse effects are likely from accidental indigestion of small amounts of material.

Emergency and First Aid Procedures Inhalation: Dust may cause respiratory trac irritation. Repeated or prolonged breathing of particles of respirable size may cause severe respiratory disease. Effects may include inflammation of the lung, chest pain, "Pneumoconiosis". Pre-existing medical conditions may be aggravated by exposure; specifically, bronchial hyper reactivity and chronic bronchial or lung disease.

Skin Contact: If irritation occurs, flush with copious amount of water. If irritation persists, seek medical attention.



SUNNY 100 GLOBAL INDUSTRY LIMITED 104# biulding No.1, Wanshijia center, Shuyuan South Road, Tianxin District, Changsha City, Hunan Province, China

^Y Ingestion: If a substantial amount is swallowed dilute with a large amount of water, induce vomiting and seek medical attention.

Carcinogenic Assessment: (NTP Annual Report, IARC Monographs, etc.)

This material has not been identified as known or suspected carcinogenic by NIP, IARC or OSHA. From the literature no effects on acute hazards as to the health are known; however, as a precaution we recommend to observe the handling regulations for Si02-containing materials.

Section 6 Reactivity Data

Stability: Decomposition at about 1.700 centigrade Incompatibility: Not applicable Hazardous Polymerization: Will not occur Hazardous Decomposition Products: None Conditions to Avoid: Not applicable

Section 7 Spill or Leak Procedures

Steps to be taken in Case Material is Released or Spilled: Remove all sources of ignition. Ventilate area of spill. Clean up using methods, which avoid dust generation such as vacuuming (with appropriate filter to prevent airborne dust levels, which exceed to PEL or TLV). If airborne dust is generated, use an appropriate NIOSH approved respirator.

Waste Disposal Method: Dispose of in accordance with appropriate government regulations. May be sold as scrap for reclaim or returned to the producer.

Section 8 Disclaimer

The information contained herein is based upon data provided by manufacturers and suppliers of raw materials used in the manufacture of silicon nitride. The information is offered in good faith as accurate and correct, but no representations, guarantees, or warranties of any kind are made as to its accuracy or completeness, suitability for particular applications, hazards connected with the use of the product, or the results to be obtained from the use of thereof. User assumes all risk and liability of any use or handling of any material beyond Lovejoy's control. Variations in methods, conditions, equipment used to store, handle, or process the material, and hazards connected with the use of the product are solely the responsibility of the user and remain at its sole discretion.

When applicable, the products described in this MSDS are considered to be "articles" within the meaning of Title 29 of the Code of Federal Regulations, Section 1910.1200 et seq. This MSDS is intended to be used solely for the purpose of satisfying informational request made pursuant to that requirement. It is not intended to pre-empt, replace, or expand the terms contained in the SUNNY 100 GLOBAL INDUSTRY LIMITED Conditions of Sale. Compliance with all applicable federal, state and local laws and regulations remains the responsibility of the user, and the user has the responsibility to provide a safe workplace, to examine all aspects of its operation, and to determine if or where precautions, in addition to those described herein, are required. This information may not be valid for these products when manufactured with alternate material meeting the special requirements of a particular user.



SUNNY 100 GLOBAL INDUSTRY LIMITED 104# biulding No.1, Wanshijia center, Shuyuan South Road, Tianxin District, Changsha City, Hunan Province, China

SUNNY 100 GLOBAL INDUSTRY LIMITED MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN CASE OF QUESTIONS PLEASE CALL Company Name:SUNNY 100 GLOBAL INDUSTRY LIMITED Contact and Title of Individual: Sunny Chen, Engineering Manager Telephone Number: 0731 86910833 or 4008863877